


# Vitesse Panels

DESIGN & ACCOUSTIC WALL DECORATION

## Technical datasheet

### Acoustic vitesse panels




| Size            | Panel   |
|-----------------|---------|
| LENGTH          | 2700 mm |
| WIDTH           | 520 mm  |
| TOTAL THICKNESS | 21 mm   |

### Product Description

The panels are available in 4 different colours. Easy to install and maintain.

### Colours

Our acoustic panels are available in the following colours:



### Materials

The MDF is finished with a PVC veneer layer on three sides, with small cracks for a natural look. All slats are 27 mm wide, with a spacing of 13 mm. The slats are attached to a base of black acoustic felt. This base is 9 mm thick and consists of 50% recycled material.

### Maintenance

The panels can be easily cleaned with a feather duster or a well-wrung cloth. Please note: always test on a small area first before treating the entire surface.

# Vitesse Panels

DESIGN & ACCOUSTIC WALL DECORATION


## Technical datasheet Acoustic vitesse panels

### Installation


For further information, please refer to our installation manual. Below you will find an overview of three different options.

#### Installation methods:

1. Direct bonding to the wall (the wall must be flat, clean and dust-free) using an MS polymer-based adhesive.



2. Fix the panels to the underlying battens (50 mm thick, 60 cm between battens) using black screws.




# Vitesse Panels

DESIGN & ACCOUSTIC WALL DECORATION

## Technical datasheet

### Acoustic vitesse panels

3. Identical to installation 2, but mineral wool (of the same thickness as the battens) is placed between the battens.



### Technical specifications

|              |                                                                                           |
|--------------|-------------------------------------------------------------------------------------------|
| MODEL        | Wall panel with slats                                                                     |
| PANEL SIZE   | Length: 2700 mm – Width: 520 mm – Thickness: 21 mm                                        |
| MATERIALS    | 12 mm MDF naturel + 9 mm polyester                                                        |
| PANEL DESIGN | Unique slat (27 mm width), placed 5 mm from each other on the PET-panel (see image below) |
| FINISH       | PVC                                                                                       |
| FIRE RATING  | D- s3,d2                                                                                  |

# Vitesse Panels

DESIGN & ACCOUSTIC WALL DECORATION

## Technical datasheet

### Acoustic vitesse panels

