



Size	Panel
LENGTH	2700 mm
WIDTH	550 mm
TOTAL THICKNESS	21 mm

Product Description

Our relief panels are available in two elegant colours and are easy to install.

Thanks to their versatile design, they can easily cover all kinds of surfaces, adding a modern and refined decorative touch to any space.

Colours

Our acoustic panels are available in the following colours:



RELIEF - NERO



RELIEF - INVISIBLE

Materials

The relief panels combine a sound-absorbing felt, made of 50% recycled polyester, with a sandblasted oak surface finished with Lacquer. With a length of 2.70 metres and a width of 55 cm, they offer both acoustic comfort and an elegant appearance. Ideal for a modern and sustainable interior.

Maintenance

The panels can be easily cleaned with a duster or a well-wrung cloth.


Note: always test on a small area before treating the entire surface.

Installation

Our relief panels can be easily installed on the wall. See the example below.


Installation methods:

Direct gluing to the wall (the wall must be flat, clean, and dust-free), using an MS polymer-based adhesive.



Overview Technical specifications

MODEL	Wall panel with a sandblasted oak surface.
PANEL SIZE	Length: 2700 mm – Width: 550 mm – Thickness: 21 mm
MATERIAL	12mm MDF + 9 mm polyester
PANEL DESIGN	Unique slat widths (widths of 185, 120, 150, 74 mm), placed every 7 mm on the PET panel (see image below).
FINISH	Sandblasted oak (finish: Lacquer)
FIRE RESISTANCE	Class D-s3,d2 (according to EN 13501-1)



The Tocca Legno acoustic panels have been tested in a certified laboratory to measure sound absorption according to the ISO354 standard.

Installation method	α_w	Classe
Direct gluing	0,35	D

